

Everything's Possible

Xerox® PrimeLink® C9265/C9275/C9281 Printer.



It's Time to Embrace Agility

When requests change by the minute, you need a printer that makes everything possible—luxury output, countless options for office and production-level feeding and finishing, with speedy, effortless workflows that help work get done faster. That's the all-new Xerox® PrimeLink® C9200 Printer Series.

NOW, ANYONE CAN PRINT LIKE A PRO

You'll do more with Xerox® PrimeLink®—a new light production engine that delivers more power with print speeds of up to 81 prints per minute. Whether you run an office, agency, university, or print production shop, Xerox® PrimeLink® is ready to enhance your image with seamless support and the broadest range of capabilities in the light production market.

LUXURY OUTPUT QUALITY

Image quality beyond what you'd expect from an office printer, with high-definition, highly engaging colour output. Plus:

Crisp, rich black text and pristine, full-gamut colour graphics with High Definition Emulsion Aggregate (HD EA) Toner

Optimized 0.5 mm front-to-back registration to keep all your content exactly where you want it

More stable and accurate quality with new energy-efficient LED print technology, providing 2,400 x 2,400 dpi imaging

Accurate density and colour quality with advanced Simple Image Quality Adjustment (SIQA)

Support for expanded Extra-long Sheet (XLS) printing at greater sizes (51 in./1,300 mm)

Reliable envelope feeding in a wide array of sizes comes standard—no special kit required



WIDE RANGE OF FEEDING AND FINISHING

Effortless production of any run—small to large—with inline finishing on virtually any media ensures you're set up for success.

- **Offer more applications** with greater media flexibility, up to 400 gsm, and sizes up to 51 in./1,300 mm
- **Optimize your printer for every job** with Custom Stock Libraries
- **Get big capability and productivity** in a space-saving footprint

A PRINTER SO FUN TO USE, WORK WON'T FEEL LIKE WORK

When it comes to working better, it's all about efficiency and excellence. The new Integrated Colour Server for the Xerox® PrimeLink® C9200 Printer Series delivers that and more with ready-to-use workflows and advanced print features, accessed via a 10-inch touchscreen for tap-and-print/copy/scan convenience.

Powered by Fiery, the Xerox EX and EX-i C9200 Series Print Servers use advanced 10-bit rendering technology to deliver professional production image quality, along with familiar Fiery colour management, streamlined job setup, and Easy Vitals that display a dashboard to spot issues faster and keep output consistent.

SPEEDY, EFFORTLESS WORKFLOWS AND CUSTOMIZATION

Time- and talent-saving automation with the potential to transform your workflows—and your working environment.

- **Accelerate your work** with Xerox® FreeFlow® Core and other FreeFlow® Workflow Software solutions
- **Monitor, measure, and manage** your printer or entire fleet with Xerox® FreeFlow® Vision Software
- **Xerox® Job Progress Light** gives operators instant, 360° visibility into job status—even from across the room. Stay ahead with real-time progress updates and instant alerts to keep production running without interruption.

SUPER-SECURE FROM TODAY'S—AND TOMORROW'S—THREATS

With dozens of security features and certifications, Xerox® PrimeLink® is ready to meet and exceed your organization's protocols. Our multi-layered approach to security is designed around three principles to ensure ongoing protection and compliance—whatever your field or industry.

The All-new, From-the-ground-up Xerox® PrimeLink® C9200 Printer Series



Shown: Fiery® EX Print Server, Two-tray Oversized High Capacity Feeder, Xerox® PrimeLink® C9200 Printer Series, Xerox® Crease and Two-Sided Trimmer, Xerox® Production Ready Booklet Maker Finisher, Xerox® SquareFold® Trimmer



Speeds:
65/75/81 ppm



Media weights:
Up to 400 gsm




Banner media:
Up to 51 in./1,300 mm



Standard (5-tray) capacity:
3,500 sheets (with optional
One-tray Oversized High
Capacity Feeder [OHCF])
7,500 sheets
(with Two-tray OHCF)

- 1 Optional one- or two-tray Oversized High Capacity Feeders (OHCF)
- 2 Tray 5 (Multi-sheet Inserter (MSI)/Bypass tray)
- 3 Remote user interface
- 4 Smart proximity sensor
- 5 Dual-head colour scanner up to 270 ipm
- 6 Standard trays 1-5
- 7 Optional Xerox® EX or EX-i C9200 Series Print Servers Powered by Fiery®
- 8 Standard Integrated Colour Server for the Xerox® PrimeLink® C9200 Printer Series
- 9 High Definition Emulsion Aggregate (HD EA) toner
- 10 LED print technology
- 11 Intelligent/Advanced decurler
- 12 Registration: 0.5 mm front-to-back
- 13 Custom stock library
- 14 Redesigned paper path
- 15 Xerox® Crease and Two-Sided Trimmer
- 16 Xerox® SquareFold® Trimmer Multiple finishing options for production print and office environments
- 17 Providing 10-bit rendering technology



We make it easy to make it yours. Auto-configure your ideal press with our Product Explorer tool.



Xerox® PrimeLink® C9265/C9275/C9281 Printers

DEVICE SPECIFICATIONS		PRIMELINK C9265		PRIMELINK C9275		PRIMELINK C9281	
SIMPLEX SPEEDS		Colour	Black-and-white	Colour	Black-and-white	Colour	Black-and-white
8.5 x 11 in./A4		Up to 65 ppm	Up to 65 ppm	Up to 75 ppm	Up to 75 ppm	Up to 81 ppm	Up to 81 ppm
11 x 17 in./A3		Up to 34 ppm	Up to 34 ppm	Up to 37 ppm	Up to 37 ppm	Up to 42 ppm	Up to 42 ppm
12 x 18 in./SRA3		Up to 30 ppm	Up to 30 ppm	Up to 34 ppm	Up to 34 ppm	Up to 38 ppm	Up to 38 ppm
Printer Dimensions		Height: 45.4 in./1,154 mm; Width: 62 in./1,575 mm; Depth: 31.2 in./793 mm (includes Bypass Tray and Offset Catch Tray)					
Monthly Duty Cycle		Up to 500,000 pages (maximum volume capacity expected in any one month, not intended to be sustained regularly)					
Average Monthly Print Volume (AMPV)		Up to 75K pages per month					
Electrical		NA, 110–120 V at 60 Hz, 20 amps. EU, 220–240 V at 50 Hz. Refer to the Customer Install Guide for specific details					
Paper Flexibility/Weights		<p>Standard Paper Capacity: 3,500 sheets: (Tray 1 and 2: 540 sheets, Tray 3: 890 sheets, Tray 4: 1280 sheets, Tray 5 (MSI/Bypass): 250 sheets)</p> <p>Maximum Paper Capacity: 7,500 sheets (Tray 1 and 2: 540 sheets, Tray 3: 890 sheets, Tray 4: 1280 sheets, Tray 5 (MSI/Bypass): 250 sheets, Two-tray Oversized High Capacity Feeder: 4,000 sheets)</p> <p>Sizes: Tray 1: 3.93 x 5.82 in. (100 x 148 mm) to 13 x 19.2 in. (330.2 x 488 mm); Tray 2: 3.93 x 5.82 in. (100 x 148 mm) to 13 x 19.2 in. (330.2 x 488 mm); Tray 3: 7.25 x 10.5 in. (184 x 267 mm) to 8.5 x 11 in./A4; Tray 4: 7.25 x 10.5 in. (184 x 267 mm) to 8.5 x 11 in./A4</p>					
Image Quality		<p>Print Technology Setting a new, higher benchmark for light production image quality with LED technology, the printer delivers 2,400 x 2,400 dpi resolution using advanced HD LED and HD EA Toner for exceptional clarity and vibrant, rich colours</p> <p>Line Screens It supports 150/200/300/600 dot screens, a 200-line screen, stochastic screening, and enhanced text and graphics</p> <p>Registration <ul style="list-style-type: none"> • Cutting-edge registration technology for tight control • Simple Image Quality Adjustment (SIQA) for de-skew, registration, and density uniformity (available on all configurations) • +/- 0.5 mm; variation may occur based on paper size, tray, etc. </p>					
Print Features		<ul style="list-style-type: none"> • Print, copy, scan, and fax (optional), including scan to PC, USB, or email, and mobile printing • The expansive media range allows you to print everything from postcards to posters, on both coated and uncoated stock, up to 400 gsm • The Xerox Extensible Interface Platform® (EIP) enables connectivity with third-party software solutions • Inline finishing options provide a professional polish, including banner printing, stapling, hole punching, folding, booklet stitching, creasing, and three-knife trimming—for booklets, stitched presentations, reports, and newsletters • Stay secure with integrated security features such as Internet Protocol (IP) filtering, image overwrite, secure print, encrypted scan to email, authentication, and IPv6 support • 51 in./1,300 mm XLS or Banner sheet size (Tray 5) supporting up to 220 gsm • Up to 400 gsm media weight (Tray 5 and Two-tray OHCF only), with auto-duplex printing up to 350 gsm (Bypass Tray and OHCF) • Xerox® replaceable units for toners, drums, fuser, charge corotron, waste bottles, staples • Custom Paper Setup and Paper Catalogue • Load-while-run toner and paper capability • Remote UI and Smart Proximity Sensor • Optional Features: Common Access Card Enablement Kit, Accounting Options, PostScript with Integrated Colour Server 					
Servers		<ul style="list-style-type: none"> • Integrated Colour Server for the Xerox® PrimeLink® C9200 Series (Must be ordered separately in some geographies) • Xerox® EX-i C9200 Series Print Server Powered by Fiery® (FS600 Platform) (Optional) • Xerox® EX C9200 Series Print Server Power by Fiery® (FS600 Platform) (Optional) 					
Integrated Scanner		<ul style="list-style-type: none"> • Single-pass Automatic Duplex Document Feeder • Colour or black-and-white scanner • Thumbnail preview, XPS, TIFF, JPEG, Scan to searchable text PDF (Optional), PDF/A • 250-sheet capacity • Up to 270 ipm (colour, up to 200 gsm) • Up to 270 ipm (black-and-white, up to 200 gsm) • Originals up to 11 x 17 in./A3 in weights from 38 gsm/16 lb. bond to 200 gsm/53 lb. bond • Auto Document Feeder and platen glass used with SIQA (Tray to Paper registration) 					
Optional Feeding		<p>High-Capacity Feeder (HCF A4/US Letter): 2,000-sheet capacity; supports 7.25 x 10.5 in., 8.5 x 11 in. / 184.2 x 266.7 mm, 215.9 x 279.4 mm / B5, A4; media range: 16 lb bond to 60 lb cover (60–220 gsm), uncoated and coated</p> <p>Two-Tray Oversized High-Capacity Feeder: 4,000-sheet total capacity. Trays 6 and 7 support media from 3.9 x 5.8 in. / 100 x 148 mm up to 13 x 19.2 in. / 330 x 488 mm (60–400 gsm). Two-Tray OHCF Tray 5 (bypass): supports banner sheets (XLS) up to 13 x 51 in. / 330 x 1300 mm, 220 gsm</p> <p>One-Tray Oversized High-Capacity Feeder: 2,000-sheet capacity plus storage cabinet. Tray 6 supports 3.9 x 5.8 in. / 100 x 148 mm up to 13 x 19.2 in. / 330 x 488 mm (60–350 gsm). One-Tray OHCF Tray 5 (bypass): supports banner sheets (XLS) up to 13 x 26 in. / 330 x 660 mm, 220 gsm</p> <p>One-Tray OHCF does not support banner-sized sheets (XLS) larger than 13x26 in</p>					
Optional Finishing*		<p>Offset Catch Tray: Sheet stacking, 500 sheets</p> <p>Xerox® Business Ready Finisher 2.0: Stapling, stacking, top and stacking trays, stacking maximum: 3K. Options: C/Z Folder, punch</p> <p>Xerox® Business Ready Booklet Maker Finisher 2.0: Same features as the Business Ready Finisher 2.0, plus a booklet maker, saddle-stitch 80 pages/20 sheets</p> <p>Xerox® Production Ready Finisher: Stapling, stacking, top and stacking trays, stacking maximum: 3K</p> <p>Xerox® Production Ready Booklet Maker Finisher: Same features as the Production Ready Finisher, plus a booklet maker, saddle-stitch 120 pages/30 sheets</p> <p>Xerox® Production Ready Finisher Plus: Same features as the Production Ready Finisher, plus a Finishing Transport Module, which enables connection to third-party finishing solutions:</p> <p>Plockmatic Pro450e/Pro435e Booklet Maker: Stapling, folding, spine forming, and full bleed trimming, saddle-stitch 200/120 pages; 50/30 sheets</p> <p>GBC® eWire: Punching, collating, and twin-loop binding</p> <p>Xerox® Inserter Tray: Tray allowing up to 250 sheets of pre-printed pages; required with Production Ready Finishers</p> <p>Xerox® SquareFold® Trimmer: Booklet face trim, crease</p> <p>Xerox® Crease and Two-Sided Trimmer: Booklet top and bottom (head/foot) trim, crease</p> <p>Xerox® C/Z Folder: Creates C, Z, and engineering folds; letter/A4</p> <p>Xerox® High Capacity Stacker: Stacks up to 5K sheets, with removable cart</p> <p>GBC® Advanced Hole Punch: Hole punch: 3/7, additional sets for binding styles: wire, coil, comb</p> <p>GBC® AdvancedLam Pro™ Inline Laminator: Lamination in-line or off-line</p> <p>Finisher options will vary based on the type of Finisher; refer to <Product Explorer></p>					

Xerox® Office and Light Production Products Industry Certifications.

Configurations may vary by geographical location.

For more information, visit www.xerox.ca